

Amendments To The Claims

This Listing Of Claims will replace all prior versions, and listings, of claims in the application:

Listing Of Claims:

Claim 1 (Currently Amended): A cover ~~Cover~~ film for thermoformed or cold-formed blisters for child-safe and senior-friendly packing of medicines and medicinal products, ~~characterised~~ characterized by

a 5 to 30 μm thick ~~aluminium~~ aluminum film which on a first side

is uncoated, or

is coated with a protective lacquer with a coating weight of 0.1 to 10 g/m^2 , or

is laminated with paper with a substance weight of 17 to 60 g/m^2 , or

is laminated with a 5 to 15 μm thick polyester film

and on the second side which is intended for sealing to a blister base part, is laminated with a non-oriented or a monoaxially or biaxially oriented plastic film on the basis of

polyvinyl chloride (PVC) with a film thickness of 10 to 40 μm , or

polyvinylidene chloride (PVDC) with a film thickness of 10 to 40 μm ,

or

polypropylene (PP) with a film thickness of 6 to 35 μm , or

polyester with a film thickness of 5 to 15 μm , or

polychlorotrifluoroethylene (PCTFE) with a film thickness of 8 to 76 μm , or

cyclo-olefin copolymers (COC) with a thickness of 10 to 40 μm .

Claim 2 (Currently Amended): The cover ~~Cover~~ film according to claim 1, characterised in that wherein the aluminium aluminum film is in the soft or hard state or has a defined hardness.

Claim 3 (Currently Amended): The cover ~~Cover~~ film according to claim 1 or 2, characterised in that wherein the aluminium aluminum film is 7 to 30 μm thick.

Claim 4 (Currently Amended): The cover ~~Cover~~ film according to claim 1, ~~any of claims 1 to 3~~, characterised in that wherein the protective lacquer layer on the first side of the aluminium aluminum film comprises a lacquer based on watery or organic solvents on the basis of nitrocellulose, epoxy resin, urea resin, melamine resin, polyester, polyurethane or mixtures of the said lacquer raw materials.

Claim 5 (Currently Amended): The cover ~~Cover~~ film according to claim 21, ~~claim 4~~, characterised in that wherein the coating weight of the protective lacquer layer is 0.5 to 5 g/m^2 .

Claim 6 (Currently Amended): The cover ~~Cover~~ film according to claim 1, ~~any of claims 1 to 3~~, characterised in that wherein the paper on the first side of the aluminium aluminum film is glassine paper, glassine-substitute paper, coated or satinised satinized paper.

Claim 7 (Currently Amended): The cover ~~Cover~~ film according to claim 6, characterised in that wherein the paper has a substance weight of 19 to 50 g/m^2 .

Claim 8 (Currently Amended): The cover ~~Cover~~ film according to claim 1, ~~any of claims 1 to 3~~, characterised in that wherein the paper or the polyester film

on the first side of the ~~aluminium~~ aluminum film is pasted to the ~~aluminium~~ aluminum film with a watery, a solvent-based or a solvent-free adhesive.

Claim 9 (Currently Amended): The cover ~~Cover~~ film according to claim 1, ~~any of claims 1 to 8, characterised in that~~ wherein the plastic film on the second side of the ~~aluminium~~ aluminum film is pasted to the ~~aluminium~~ aluminum film with a watery, a solvent-based or a solvent-free adhesive or by extrusion laminating.

Claim 10 (Currently Amended): A blister ~~Blister~~ pack with a blister base part and a cover film sealed to the blister base part, ~~characterised in that~~ wherein the cover film is a 5 to 30 μm thick ~~aluminium~~ aluminum film which on a first side

is uncoated, or

is coated with a protective lacquer with a coating weight of 0.1 to 10 g/m^2 ,

or

is laminated with paper with a substance weight of 17 to 60 g/m^2 , or

is laminated with a 5 to 15 μm thick polyester film

and on the second side which is intended for sealing to a blister base part, is laminated with a non-oriented or a monoaxially or biaxially oriented plastic film on the basis of

polyvinyl chloride (PVC) with a film thickness of 10 to 40 μm , or

polyvinylidene chloride (PVDC) with a film thickness of 10 to 40 μm ,

or

polypropylene (PP) with a film thickness of 6 to 35 μm , or

polyester with a film thickness of 5 to 15 μm , or

polychlorotrifluoroethylene (PCTFE) with a film thickness of 8 to 76 μm , or

cyclo-olefin copolymers (COC) with a thickness of 10 to 40 μm ,

and in that the blister base part at least on the side which is sealed to the cover film comprises a material whose chemical structure is compatible with that of the plastic film which is sealed to the blister base part.

Claim 11 (Currently Amended): A blister ~~Blister~~ pack according to claim 10, ~~characterised in that~~ wherein the blister base part on at least the side which is sealed to the cover film comprises the same material as the plastic film which is sealed to the blister base part.

Claim 12 (Currently Amended): A blister ~~Blister~~ pack according to claim 10 ~~or 11, characterised in that~~ wherein the ~~aluminium~~ aluminum film is in the soft or hard state or has a defined hardness.

Claim 13 (Currently Amended): A blister ~~Blister~~ pack according to claim 10, ~~any of claims 10 to 12, characterised in that~~ wherein the ~~aluminium~~ aluminum film is 7 to 30 μm thick.

Claim 14 (Currently Amended): A blister ~~Blister~~ pack according to claim 10, ~~any of claims 10 to 13, characterised in that~~ wherein the protective lacquer layer on the first side of the ~~aluminium~~ aluminum film comprises a lacquer based on watery or organic solvents on the basis of nitrocellulose, epoxy resin, urea resin, melamine resin, polyester, polyurethane or mixtures of the said lacquer raw materials.

Claim 15 (Currently Amended): A blister ~~Blister~~ pack according to claim 14, ~~characterised in that~~ wherein the coating weight of the protective lacquer layer is 0.5 to 5 g/m^2 .

Claim 16 (Currently Amended): A blister ~~Blister~~ pack according to claim 10, ~~any of claims 10 to 13, characterised in that~~ wherein the paper on the first side of the ~~aluminium~~ aluminum film is glassine paper, glassine-substitute paper, coated or ~~satinised~~ satinized paper.

Claim 17 (Currently Amended): The blister ~~Blister~~ pack according to claim 16, ~~characterised in that~~ wherein the paper has a substance weight of 19 to 50 g/m².

Claim 18 (Currently Amended): The blister ~~Blister~~ pack according to claim 10, ~~any of claims 10 to 13, characterised in that~~ wherein the paper or the polyester film on the first side of the ~~aluminium~~ aluminum film is pasted to the ~~aluminium~~ aluminum film with a watery, a solvent-based or a solvent-free adhesive.

Claim 19 (Currently Amended): The blister ~~Blister~~ pack according to claim 10, ~~any of claims 10 to 18, characterised in that~~ wherein the plastic film on the second side of the ~~aluminium~~ aluminum film is pasted to the ~~aluminium~~ aluminum film with a watery, a solvent-based or a solvent-free adhesive or by extrusion laminating.

Claim 20 (New): The cover film according to Claim 2, wherein the aluminum film is 7 to 30 µm thick.

Claim 21 (New): The cover film according to Claim 20, wherein the protective lacquer layer on the first side of the aluminum film comprises a lacquer based on watery or organic solvents on the basis of nitrocellulose.

Claim 22 (New): The cover film according to Claim 20, wherein the paper on the first side of the aluminum film is glassine paper, glassine-substitute paper, coated or satinized paper.

Claim 23 (New): The cover film according to Claim 20, wherein the paper or the polyester film on the first side of the aluminum film is pasted to the aluminum film with a watery, a solvent-based or a solvent-free adhesive.

Claim 24 (New): The cover film according to Claim 23, wherein the plastic film on the second side of the aluminum film is pasted to the aluminum film with a watery, a solvent-based or a solvent-free adhesive or by extrusion laminating.

Claim 25 (New): The blister pack according to Claim 11, wherein the aluminum film is in the soft or hard state or has a defined hardness.

Claim 26 (New): The blister pack according to Claim 25, wherein the aluminum film is 7 to 30 μm thick.

Claim 27 (New): The blister pack according to Claim 26, wherein the protective lacquer layer on the first side of the aluminum film comprises a lacquer based on watery or organic solvents on the basis of nitrocellulose, epoxy resin, urea resin, melamine resin, polyester, polyurethane or mixtures of the said lacquer raw materials.

Claim 28 (New): The blister pack according to Claim 26, wherein the paper on the first side of the aluminum film is glassine paper, glassine-substitute paper, coated or satinized paper.

Claim 29 (New): The blister pack according to Claim 26, wherein the paper or the polyester film on the first side of the aluminum film is pasted to the aluminum film with a watery, a solvent-based or a solvent-free adhesive.

Claim 30 (New): The blister pack according to Claim 29, wherein the plastic film on the second side of the aluminum film is pasted to the aluminum

film with a watery, a solvent-based or a solvent-free adhesive or by extrusion laminating.